



Finished Size of Project: **73" x 75" (1.85m x 1.791m)**

Fabric Collection Name and Designer: **Washington's Crossing by Funny Girl featuring Leutze Artwork**

Technique: **Pieced with Fusible Applique**

Project Designed by: **Matthew Pridemore of The Whimsical Workshop**

Skill Level: **Confident Beginner**


Fabric Requirements

DESIGN	COLOR	ITEM ID	YARDAGE
(A) Colony Stars	Midnight	9367-74	5/8 yard (0.57m)
(B) Ruffled Stripes	Pomergranite	9369-81	5/8 yard (0.57m)
(C) X-Large Painting Panel	Patriotic	9371P-103	1 panel (1.83m)
(D) Surface Design	Nut	8278-47	1/2 yard (0.46m)
(E) Surface Design	Scarlet	8278-76	1 1/8 yards (1.03m)*
(F) Surface Design	Navy	8278-77	7/8 yard (0.80m)
(G) Just Color!	Cream	1351-Cream	1/2 yard (0.46m)

* includes binding



(A)



(B)




(C)



(D)



(E)



(F)



(G)

Backing (Purchased Separately)

44" (1.12m) wide

Colony Stars

Midnight

9367-74

6 3/4 yards (6.17m)



Backing
44"

Additional Materials:

- Batting 81" x 83" (2.06m x 2.11m)
- Thread and sewing supplies

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.

Cutting Instructions

Notes:

- Please check www.studioefabrics.net for pattern updates prior to starting the project.
- All strips are cut across the width of fabric (WOF) from selvedge to selvedge edge unless otherwise noted.

Fabric A, cut:

(4) 4½" x WOF; sew together end to end with diagonal seams and cut (2) 4½" x 73½"

Fabric B, cut:

(4) 4½" x WOF; sew together end to end with diagonal seams and cut (2) 4½" x 73½"

Fabric C, fussy cut:

(1) 70½" x 41½" rectangle centered on the panel

Fabric D, cut:

See instructions to cut (12) Stars

Fabric E, cut:

(8) 2" x WOF; sew together end to end with diagonal seams and cut (4) 2" x 73½"

(8) 2½" x WOF for the binding

Fabric F, cut:

(4) 2½" x WOF; sew together end to end with diagonal seams and cut (2) 2½" x 74½"

(3) 2½" x WOF; sew together end to end with diagonal seams and cut (2) 2½" x 41½"

(4) 2" x WOF; sew together end to end with diagonal seams and cut (2) 2" x 73½"

Fabric G, cut:


(8) 2" x WOF; sew together end to end with diagonal seams and cut (4) 2" x 73½"

Sewing

- Sew using a $\frac{1}{4}$ " seam allowance with right sides together (RST) unless otherwise indicated. Press seams towards the darker fabric, unless otherwise indicated.
- The arrows in the figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components.

1. Sew (1) $2\frac{1}{2}$ " x $41\frac{1}{2}$ " **Fabric F** strip to each side of the $70\frac{1}{2}$ " x $41\frac{1}{2}$ " **Fabric C** rectangle. Sew (1) $2\frac{1}{2}$ " x $74\frac{1}{2}$ " **Fabric F** strip to the top and bottom of the **Fabric C** rectangle to make the Block One rectangle (**Fig. 1**). **Trim the block to measure $73\frac{1}{2}$ " x $44\frac{1}{2}$ "**.


Fig. 1



2. Sew (1) 2 " x $73\frac{1}{2}$ " **Fabric G** strip to the top and bottom of the Block One rectangle (**Fig. 2**).
3. Sew (1) 2 " x $73\frac{1}{2}$ " **Fabric E** strip to the top and bottom of the Block One rectangle (**Fig. 2**).
4. Sew (1) $4\frac{1}{2}$ " x $73\frac{1}{2}$ " **Fabric B** strip to the top and bottom of the Block One rectangle (**Fig. 2**).

5. Sew (1) 2 " x $73\frac{1}{2}$ " **Fabric F** strip to the top and bottom of the Block One rectangle (**Fig. 2**).
6. Sew (1) 2 " x $73\frac{1}{2}$ " **Fabric G** strip to the top and bottom of the Block One rectangle (**Fig. 2**).
7. Sew (1) 2 " x $73\frac{1}{2}$ " **Fabric E** strip to the top and bottom of the Block One rectangle (**Fig. 2**).
8. Sew (1) $4\frac{1}{2}$ " x $73\frac{1}{2}$ " **Fabric A** strip to the top and bottom of the Block One rectangle to make the $73\frac{1}{2}$ " x $75\frac{1}{2}$ " Quilt Center (**Fig. 2**).

Fig. 2



All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.

Quilt Top Assembly

Follow the Quilt Layout (Page 6) while assembling the quilt top.

9. Following the manufacturer's instructions, trace the listed number of each template onto the paper side of the fusible web. Roughly cut out each template about 1/8" outside the drawn lines.
10. Press each template onto the wrong side of the fabric as listed on the template. Cut out each template on the drawn lines.
11. Refer to the Quilt Layout to arrange and press the (12) **Fabric D** stars onto the Quilt Center.
12. Finish the raw edges of each star with a decorative stitch such as a buttonhole or satin stitch to complete the quilt top which should measure 73½" x 75½".

Layering, Quilting and Finishing

13. Layer the backing (wrong side up), batting, and quilt top (right side up). Baste the layers together and quilt as desired. Trim excess batting and backing even with the top of the quilt.

Binding

14. Sew together (8) 2½" x WOF **Fabric E** binding strips end to end with diagonal seams. Press the seams open. Press the binding strip in half wrong sides together.
15. Leaving an 8" tail of binding and beginning along an edge of the quilt top, match raw edges of the binding to the raw edges of the quilt top. Sew the binding to the outside edge around all four sides and miter corners. Stop sewing approximately 12" from where

you started and backstitch.


16. Lay both loose ends of binding flat along the quilt edge. Where these two loose ends meet, fold them back onto themselves and press to form a crease. Using this crease as your stitching line, sew the two open ends of the binding together, right sides matching. Trim seam to ¼" and press seam open. Finish sewing the binding to the quilt top.
17. Turn the binding over the raw edge to the back of the quilt and hand or machine stitch in place.

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.


Quilt Layout



All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.



This square
should measure
1" x 1"
(2.54cm x 2.54cm)
when printed.

***** Measure templates before cutting to confirm printing at 100%*****

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.