

# Bow Tie Delight



Finished Size of Project: **62" x 74" (1.58m x 1.88m)**

Fabric Collection Name and Designer: **Beautiful Bowquets by Maureen Fiorellini**

Technique: **Pieced**

Project Designed by: **Maureen Fiorellini**

Skill Level: **Confident Beginner**

# Bow Tie Delight

## Fabric Requirements

DESIGN	COLOR	ITEM ID	YARDAGE
<b>(A)</b> Roses	Navy/Multi	8883-72	½ yard (0.46m)
<b>(B)</b> Plaid	Light Blue/Cream	8887-11	½ yard (0.46m)
<b>(C)</b> Animals	Green/Cream	8888-60	1 yard (0.91m)
<b>(D)</b> Mini Blossoms	Navy/Multi	8889-72	1½ yards (1.37m)
<b>(E)</b> Lattice	Cream/Green	8890-60	⅓ yard (0.30m)
<b>(F)</b> Lattice	Blue	8890-77	½ yard (0.46m)
<b>(G)</b> Bow Ties	Light Blue	8892-11	⅜ yard (0.34m)
<b>(H)</b> Just Color!	Pigment White	1351- Pigment White	2 yards (1.83m)
<b>(I)</b> Peppered Cotton	Storm Cloud	Storm Cloud-87	⅔ yard (0.61m)*

\* includes binding



(A)



(B)



(C)



(D)



(E)



(F)



(G)



(H)



(I)

## Backing (Purchased Separately)

44" (1.12m) wide

Plaid

Light Blue/Cream 8887-11

4 ⅝ yards (4.23m)



Backing  
44"

## Additional Materials:

- Batting 70" x 82" (1.78m x 2.08m)
- Thread and sewing supplies

*All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.*

*Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.*

*All free projects are intended to remain free and are not for resale.*

## Cutting Instructions

### Notes:

- Please make sure to check [studiofabrics.net](http://studiofabrics.net) for pattern updates prior to starting the project.
- All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

### Fabric A, cut:

- (3) 3½" x WOF; subcut  
(24) 3½" squares
- (2) 2" x WOF; subcut  
(24) 2" squares

### Fabric B, cut:

- (3) 3½" x WOF; subcut  
(24) 3½" squares
- (2) 2" x WOF; subcut  
(24) 2" squares

### Fabric C, cut:

- (3) 3½" x WOF; subcut  
(24) 3½" squares
- (2) 2" x WOF; subcut  
(24) 2" squares
- (4) 2½" x WOF. Sew the strips together end to end with diagonal seams and cut  
(2) 2½" x 62½" strips
- (3) 2½" x WOF. Sew the strips together end to end with diagonal seams and cut  
(2) 2½" x 54½" strips

### Fabric D, cut:

- (3) 3½" x WOF; subcut  
(24) 3½" squares
- (2) 2" x WOF; subcut  
(24) 2" squares
- (4) 4½" x WOF. Sew the strips together end to end with diagonal seams and cut  
(2) 4½" x 66½" strips
- (4) 4½" x WOF. Sew the strips together end to end with diagonal seams and cut  
(2) 4½" x 62½" strips

### Fabric E, cut:

- (2) 3½" x WOF; subcut  
(18) 3½" squares
- (1) 2" x WOF; subcut  
(18) 2" squares

### Fabric F, cut:

- (3) 3½" x WOF; subcut  
(24) 3½" squares
- (2) 2" x WOF; subcut  
(24) 2" squares

### Fabric G, cut:

- (2) 3½" x WOF; subcut  
(22) 3½" squares
- (2) 2" x WOF; subcut  
(22) 2" squares

*All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.*

*Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.*

*All free projects are intended to remain free and are not for resale.*

# Bow Tie Delight

## **Fabric H, cut:**

(15) 3½" x WOF; subcut

(160) 3½" squares

(4) 1½" x WOF. Sew the strips together end to end with diagonal seams and cut

(2) 1½" x 60½" strips.

(3) 1½" x WOF. Sew the strips together end to end with diagonal seams and cut

(2) 1½" x 50½" strips.

## **Fabric I, cut:**

(8) 2½" x WOF strips for the binding

## **Backing, cut:**

(2) 82" x WOF strips for the backing. Sew the strips together and trim to make the 70" x 82" back

# Bow Tie Delight

## Sewing

- Sew using a ¼" seam allowance with right sides together (RST) unless otherwise indicated. Press seams towards the darker fabric, unless otherwise indicated.
- The arrows in the figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components.

1. Place (1) 2" **Fabric A** square on the bottom left corner of (1) 3½" **Fabric H** square, right sides together (**Fig. 1**). Sew across the diagonal of the smaller square from the upper left corner to the lower right corner (**Fig. 1**). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle ¼" away from the sewn seam to make (1) Unit 1 square (**Fig. 2**). Repeat to make (23) additional Unit 1 squares.

**Fig. 1**



**Fig. 2**



2. Repeat Step 1 and refer to **Figures 3-8** for fabric identification, placement and seam direction to make the indicated number of unit squares for Unit 2 through Unit 7.

**Fig. 3**




**Fig. 4**



**Fig. 5**



**Fig. 6**



**Fig. 7**




**Fig. 8**



3. Sew (1) 3½" **Fabric A** square to the left side of (1) Unit 1 square to make the top row. Sew (1) Unit 1 square to the left side of (1) 3½" **Fabric A** square to make the bottom row (**Fig. 9**). Sew together the (2) rows lengthwise to make (1) 6½" Block One square (**Fig. 9**). Repeat to make (11) additional Block One squares.


**Fig. 9**

Block One  
make 12




4. Repeat Step 3 and refer to **Figures 10-15** for component identification, placement and orientation to make the indicated number of block squares for Block Two through Block Seven.


**Fig. 10**




**Fig. 11**




**Fig. 12**




**Fig. 13**



**Fig. 14**



**Fig. 15**



5. Sew together (1) Block One square, (1) Block Two square, (1) Block Three square, (1) Block One square, (1) Block Four square, (1)

*All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.*


*Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.*

*All free projects are intended to remain free and are not for resale.*

# Bow Tie Delight

- Block Six square, (1) Block Two square and (1) Block Seven square, in that order from left to right, to make Row One (**Fig. 16**).
- Repeat Step 5 and refer to **Figure 16** for component identification, placement and orientation to make Row Two through Row Ten.
  - Sew together the (10) pieced Rows, lengthwise and in numerical order from top to bottom, to make the 48½" x 60½" Quilt Center (**Fig. 16**).

**Fig. 16**



## Quilt Top Assembly

Follow the Quilt Layout (Page 7) while assembling the quilt top.

- Sew (1) 1½" x 60½" **Fabric H** strip to each side of the Quilt Center. Sew (1) 1½" x 50½" **Fabric H** strip to the top and bottom of the Quilt Center.
- Sew (1) 2½" x 62½" **Fabric C** strip to each side of the Quilt Center. Sew (1) 2½" x 54½" **Fabric C** strip to the top and bottom of the

Quilt Center.

- Sew (1) 4½" x 66½" **Fabric D** strip to each side of the Quilt Center. Sew (1) 4½" x 62½" **Fabric D** strip to the top and bottom of the Quilt Center to complete the quilt top which should measure 62½" x 74½".

## Layering, Quilting and Finishing

- Layer the backing (wrong side up), batting, and quilt top (right side up). Baste the layers together and quilt as desired. Trim excess batting and backing even with the top of the quilt.

## Binding


- Sew together (8) 2½" x WOF **Fabric I** binding strips end to end with diagonal seams. Press the seams open. Press the binding strip in half wrong sides together.
- Leaving an 8" tail of binding and beginning along an edge of the quilt top, match raw edges of the binding to the raw edges of the quilt top. Sew the binding to the outside edge around all four sides and miter corners. Stop sewing approximately 12" from where you started and backstitch.
- Lay both loose ends of binding flat along the quilt edge. Where these two loose ends meet, fold them back onto themselves and press to form a crease. Using this crease as your stitching line, sew the two open ends of the binding together, right sides matching. Trim seam to ¼" and press seam open. Finish sewing the binding to the quilt top.
- Turn the binding over the raw edge to the back of the quilt and hand or machine stitch in place.

*All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.*

*Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.*

*All free projects are intended to remain free and are not for resale.*

## Quilt Layout



*All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.*

*Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.*

*All free projects are intended to remain free and are not for resale.*