



STUDIO · e · PROJECTS



www.studioefabrics.net

# Cold Winter Morning

• A Free Project Sheet •  
• NOT FOR RESALE •

QUILT 1



Featuring fabrics from the **Cold Winter Morning** collection by **Kathleen Francour** for **STUDIO e fabrics**

## Fabric Requirements

(A) 7303P-77 .....	1 panel
(B) 7302-77 .....	1 1/8 yards (1.03 m)*
(C) 1351-Pigment White**	5/8 yard (0.58 m)
(D) 7299-93 .....	2/3 yard (0.61 m)
(E) 7301-71 .....	2/3 yard (0.61 m)
(F) 1351-Navy** .....	7/8 yard (0.81 m)
(G) Oyster-35+ .....	1/2 yard (0.46 m)
(H) 7295-77 .....	1 7/8 yards (1.72 m)
Backing	
7296-77 .....	3 3/4 yards (3.43 m)

## Additional Supplies Needed

Batting 64" x 84" (Recommended:  
Air Lite® Colour Me 100% Cotton)  
(162.56 cm x 213.36 cm)  
Piecing and sewing thread  
Quilting and sewing supplies

\* Includes Binding

\*\* Just Color! Collection

+ Peppered Cottons Collection

## Project Information

Design by Heidi Pridemore  
Finished Quilt Size 56" x 76"  
(142.24 cm x 193.04 cm)  
Skill Level: Intermediate

Please check our website for pattern updates before starting this project.


## Fabrics in the Collection



Snow Globes Toss  
Dark Blue – 7295-77



Patch Toss  
Blue – 7296-77



Stripe  
Dark Blue – 7297-77



Fawn Scenic  
Taupe – 7298-93



Tonal Scenic  
Taupe – 7299-93



Moose  
Blue – 7300-71



Trees  
Blue – 7301-71



Snowflake Toss  
Dark Blue – 7302-77




24 Inch Panel  
Dark Blue – 7303P-77

## Select Fabrics from Just Color! and Peppered Cottons



Just Color!  
Navy  
1351-Navy



Just Color!  
Pigment White  
1351-Pigment White



Peppered Cottons  
Oyster  
Oyster-35



## Cutting

### Cutting Instructions

*Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.*

WOF= Width of Fabric • LOF = Length of Fabric

#### **Fabric A (7303P-77 24 Inch Panel – Dark Blue):**

- Fussy cut (1) 22 ½" x 43" rectangle, centered on the panel.

#### **Fabric B (7302-77 Snowflake Toss – Dark Blue), cut:**

- (3) 2" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2" x 43" strips.
- (2) 1 ¾" x 25 ½" WOF strips.
- (3) 1 ½" x WOF strips, sub-cut (12) 1 ½" x 9 ½" strips.
- (2) 1 ½" x WOF strips, sub-cut (8) 1 ½" x 8 ¼" strips.
- (7) 2 ½" x WOF strips for the binding.

#### **Fabric C (1351-Pigment White Just Color! – Pigment White), cut:**

- (2) 1 ½" x WOF strips, sub-cut (40) 1 ½" squares.
- (3) 1 ½" x WOF strips, sub-cut (12) 1 ½" x 9 ½" strips.
- (2) 1 ½" x WOF strips, sub-cut (8) 1 ½" x 8 ¼" strips.
- (3) 1" x WOF strips, sub-cut (20) 1" x 4 ½" strips.
- (3) 1" x WOF strips, sub-cut (10) 1" x 9" strips.

#### **Fabric D (7299-93 Tonal Scenic – Taupe), cut:**

- (1) 9 ½" x WOF strip, sub-cut (6) 9 ½" x 5" strips.
- (1) 5" x WOF strip, sub-cut (4) 5" x 8 ¼" strips.

#### **Fabric E (7301-71 Trees – Blue), cut:**

- (2) 2 ⅞" x WOF strips, sub-cut (20) 2 ⅞" squares.
- (5) 2 ½" x WOF strips, sub-cut (40) 2 ½" x 4 ½" strips.

#### **Fabric F (1351-Navy Just Color! – Navy), cut:**

- (2) 2 ⅞" x WOF strips, sub-cut (20) 2 ⅞" squares.
- (8) 2 ½" x WOF strips, sub-cut (120) 2 ½" squares.

#### **Fabric G (Oyster-35 Peppered Cottons – Oyster), cut:**

- (4) 2" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2" x 61 ½" strips.
- (3) 2" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2" x 44 ½" strips.

#### **Fabric H (7295-77 Snow Globe Toss – Dark Blue), cut:**

- (2) 6 ½" x 64 ½" LOF strips.
- From the remaining fabric, cut (2) 6 ½" x 56 ½" WOF strips.

#### **Backing (7296-77 Patch Toss – Blue), cut:**

- (2) 64" x WOF strips. Sew the strips together and trim to 64" x 84" to make the back.

## Sewing

Sew using a  $\frac{1}{4}$ " seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

### Block Assembly

**Note: The arrows in figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components.**

1. Sew (1) 2" x 43" Fabric B strip to each side of the 22  $\frac{1}{2}$ " x 43" Fabric A rectangle. Sew (1) 1  $\frac{3}{4}$ " x 25  $\frac{1}{2}$ " Fabric B strip to the top and to the bottom of the Fabric A rectangle to make the Center Block (Fig. 1). **Trim the block to measure 24  $\frac{1}{2}$ " x 44  $\frac{1}{2}$ ".**




Fig. 1 B

2. Place (1) 2  $\frac{7}{8}$ " Fabric F square on top of (1) 2  $\frac{7}{8}$ " Fabric E square, right sides together. Draw a line across the diagonal of the top square from the upper left corner to the lower right corner (Fig. 2). Sew  $\frac{1}{4}$ " away from each side of the drawn diagonal line (Fig. 2). Cut the (2) squares apart on the drawn diagonal line (Fig. 3) to make (2) half-square triangles. Trim the half-square triangles to measure 2  $\frac{1}{2}$ " square to make (1) Unit 1A square and (1) Unit 1B square (Fig. 4). Repeat to make (10) Unit 1 sets of the squares.




Fig. 2




Fig. 3




Fig. 4

3. Place (1) 2  $\frac{7}{8}$ " Fabric F square on top of (1) 2  $\frac{7}{8}$ " Fabric E square, right sides together. Draw a line across the diagonal of the top square from the upper right corner to the lower left corner (Fig. 5). Sew  $\frac{1}{4}$ " away from each side of the drawn diagonal line (Fig. 5). Cut the (2) squares apart on the drawn diagonal line (Fig. 6) to make (2) half-square triangles. Trim the half-square triangles to measure 2  $\frac{1}{2}$ " square to make (1) Unit 2A square and (1) Unit 2B square (Fig. 7). Repeat to make (10) Unit 2 sets of the squares.



Fig. 5



Fig. 6




Fig. 7

4. Place (1) 2 ½" Fabric F square on the left side of (1) 2 ½" x 4 ½" Fabric E strip, right sides together (Fig. 8). Sew across the diagonal of the square from the upper right corner to the lower left corner (Fig. 8). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a ¼" seam allowance (Fig. 9).

5. Place another 2 ½" Fabric F square on the right side of the 2 ½" x 4 ½" Fabric E strip, right sides together (Fig. 10). Sew across the diagonal of the square from the upper left corner to the lower right corner (Fig. 10). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a ¼" seam allowance to make (1) Unit 3 strip (Fig. 11).

6. Repeat Steps 4-5 to make (20) Unit 3 strips total.

7. Repeat Steps 4-5 and refer to Figure 12 for fabric identification, placement, seam direction and orientation to make (20) Unit 4 strips.



Fig. 8



Fig. 9




Fig. 10




Fig. 11




Fig. 12

8. Place (1) 1 ½" Fabric C square on the top right corner of (1) Unit 3 strip, right sides together (Fig. 13). Sew across the diagonal of the small square from the upper left corner to the lower right corner (Fig. 13). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle ¼" away from the sewn seam to make (1) Unit 5 strip (Fig. 14). Repeat to make (10) Unit 5 strips total.




Fig. 13




Fig. 14

9. Repeat Step 8 and refer to Figures 15-17 for component identification, placement and orientation to make (10) Unit 6 strips, (10) Unit 7 strips and (10) Unit 8 strips.




Fig. 15




Fig. 16




Fig. 17

10. Sew (1) 2 ½" Fabric F square to the left side of (1) Unit 1B square. Sew (1) Unit 5 strip to the bottom of the newly sewn strip lengthwise to make (1) 4 ½" Unit 9 square (Fig. 18). Repeat to make (10) Unit 9 squares total.




Fig. 18

11. Repeat Step 10 and refer to Figures 19-21 for component identification, placement and orientation to make (10) Unit 10 squares, (10) Unit 11 squares and (10) Unit 12 squares.




Fig. 19




Fig. 20




Fig. 21

12. Sew together (1) Unit 9 square, (1) 1" x 4 1/2" Fabric C strip and (1) Unit 10 square, in that order from left to right, to make the top row (Fig. 22).

13. Sew together (1) Unit 11 square, (1) 1" x 4 1/2" Fabric C strip and (1) Unit 12 square, in that order from left to right, to make the bottom row (Fig. 22).

14. Sew together the (2) rows from Steps 12-13 to the top and to the bottom of (1) 1" x 9" Fabric C strip to make (1) 9" Block One square (Fig. 22).

15. Repeat Steps 12-14 to make (10) Block One squares total.




Fig. 22

16. Sew together (1) 1 1/2" x 9 1/2" Fabric C strip, (1) 1 1/2" x 9 1/2" Fabric B strip, (1) 5" x 9 1/2" Fabric D strip, (1) 1 1/2" x 9 1/2" Fabric B strip and (1) 1 1/2" x 9 1/2" Fabric C strip, lengthwise and in that order from left to right, to make (1) 9" x 9 1/2" Block Two rectangle (Fig. 23). Repeat to make (6) Block Two rectangles total.




Fig. 23

17. Sew together (1) 1 1/2" x 8 1/4" Fabric C strip, (1) 1 1/2" x 8 1/4" Fabric B strip, (1) 5" x 8 1/4" Fabric D strip, (1) 1 1/2" x 8 1/4" Fabric B strip and (1) 1 1/2" x 8 1/4" Fabric C strip, lengthwise and in that order from top to bottom, to make (1) 8 1/4" x 9" Block Three rectangle (Fig. 24). Repeat to make (4) Block Three rectangles total.




Fig. 24

18. Sew together (3) Block Two rectangles and (2) Block One squares, end to end and alternating them from top to bottom, to make (1) Side Border (Fig. 25). Repeat to make a second Side Border.

19. Sew together (3) Block One squares and (2) Block Three rectangles, end to end and alternating them from left to right, to make the Top Border (Fig. 26). Repeat to make the Bottom Border.




Fig. 26

Side Border  
make 2




Fig. 25

## Quilt Top Assembly

*(Follow the Quilt Layout while assembling the quilt top.)*

20. Sew (1) Side Border to each side of the Center Block. Sew the Top Border and the Bottom Border to the top and to the bottom of the Center Block.

21. Sew (1) 2" x 61 1/2" Fabric G strip to each side of the Center Block. Sew (1) 2" x 44 1/2" Fabric G strip to the top and to the bottom of the Center Block.

22. Sew (1) 6 1/2" x 64 1/2" Fabric H strip to each side of the Center Block. Sew (1) 6 1/2" x 56 1/2" Fabric H strip to the top and to the bottom of the Center Block to make the quilt top.


## Layering, Quilting and Finishing

23. Press the quilt top and 64" x 84" backing well. Layer backing (wrong side up), batting, pressed quilt top (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

## Binding

24. Cut the ends of the (7) Fabric B binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.

25. Sew the binding to the front of the quilt, raw edges together. Turn the folded edge to the back, and hand stitch in place.



Quilt Layout

Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however no warranty can be given nor results guaranteed as we have no control over the execution of instructions. Therefore, we assume no responsibility for the use of this information or damages that may occur as a result. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. Please make sure to check [www.studioefabrics.net](http://www.studioefabrics.net) for pattern updates prior to starting the project. We also recommend that you test the project prior to cutting for kits. Finally, all free projects are intended to remain free to you and are **not for resale**.