

A Free Project Sheet
NOT FOR RESALE

Furry and Bright

Table Set



Featuring fabrics from the **Furry and Bright** collection by **Kayomi Harai** for **STUDIO e fabrics**

Runner Fabric Requirements

(A) 7017P-88	1 panel
(B) 1351-Onyx**	1/3 yard
(C) 7008-99	1/4 yard
(D) 7015-01	1/4 yard
(E) 7010-99	1/4 yard
(F) 1351-Red Delicious**	1/2 yard*
(G) 7007-01	1/3 yard
(H) 1351-Pigment White**	1/4 yard
(I) 7012-99	1/2 yard
Backing	
7009-01	1 1/2 yards

Place Mat Fabric Requirements

(A) 7017P-88	1 panel
(B) 1351-Onyx**	1 yard*
(C) 7008-99	1/4 yard
(D) 7010-99	1/4 yard
(E) 1351-Red Delicious**	1/3 yard
(F) 7007-01	3/8 yard
Backing	
7012-99	1 yard

* Includes Binding

** Just Color! Collection


Additional Supplies Needed

Batting (1) 54" x 34", (4) 21" x 16"
(Recommended:
Air Lite® Colour Me 100% Cotton)
Piecing and sewing thread
Quilting and sewing supplies

Quilt designed by Heidi Pridemore
Finished Runner Size 46" x 26"
Finished Place Mat Size 17" x 12"
Skill Level: Advanced Beginner

Please check our website for pattern updates before starting this project.

Fabrics in the Collection



Mice with Red Boots
White – 7007-01




Tossed Cats
Black – 7008-99



Kitten in a Cup
White – 7009-01



Kitten with Gift Sack
Black – 7010-99



Starlight Mint
Red – 7011-88



Ginger Cat Cookie
Black – 7012-99



Packed Cats
Red – 7013-88



Kitten in Stocking
Black – 7014-99



Tossed Characters
White – 7015-01



Border Stripe
Black – 7016-99



24 Inch Panel
Red - 7017P-88

Select Fabrics from Just Color!



Onyx
1351-Onyx



Pewter
1351-Pewter



Pigment White
1351-Pigment White



Red Delicious
1351-Red Delicious

Runner Cutting

Runner Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

WOF= Width of Fabric • LOF = Length of Fabric

Fabric A (7017P-88 24 Inch Panel – Red):

- Fussy cut (1) 22 ½" x 16 ½" rectangle, centered on the panel.

Fabric B (1351-Onyx Just Color! – Onyx), cut:

- (1) 2" x WOF strip, sub-cut (2) 2" x 16 ½" strips.
- (2) 2" x 25 ½" WOF strips.
- (1) 2" x WOF strip, sub-cut (16) 2" squares.

Fabric C (7008-99 Tossed Cats – Black), cut:

- (1) 3 ½" x WOF strip, sub-cut (2) 3 ½" squares.

Fabric D (7015-01 Tossed Characters – White), cut:

- (1) 3 ½" x WOF strip, sub-cut (2) 3 ½" squares.

Fabric E (7010-99 Kitten with Gift Sack – Black), cut:

- (1) 3 ½" x WOF strip, sub-cut (2) 3 ½" squares.

Fabric F (1351-Red Delicious Just Color! – Red Delicious), cut:

- (2) 2" x WOF strips, sub-cut (32) 2" squares.
- (4) 2 ½" x WOF strips for the binding.

Fabric G (7007-01 Mice with Red Boots – White), cut:

- (2) 2" x WOF strips, sub-cut (24) 2" x 3 ½" strips.
- (2) 2" x WOF strips, sub-cut (24) 2" squares.

Fabric H (1351-Pigment White Just Color! – Pigment White), cut:

- (2) 1 ½" x WOF strips, sub-cut (4) 1 ½" x 18 ½" strips.
- (2) 1 ½" x 40 ½" WOF strips.

Fabric I (7012-99 Ginger Cat Cookie – Black), cut:

- (1) 3 ½" x WOF strip, sub-cut (2) 3 ½" x 20 ½" strips.
- (3) 3 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 3 ½" x 46 ½" strips.

Backing (7009-01 Kitten in a Cup – White), cut:

- (1) 54" x 34" WOF strip for the back.


Runner Sewing

Sew using a $\frac{1}{4}$ " seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

Runner Block Assembly

Note: Pay attention to the unit orientations when assembling the various components.

1. Sew (1) $2'' \times 16\frac{1}{2}''$ Fabric B strip to each side of the $22\frac{1}{2}'' \times 16\frac{1}{2}''$ Fabric A rectangle. Sew (1) $2'' \times 25\frac{1}{2}''$ Fabric B strip to the top and to the bottom of the Fabric A rectangle to make the Runner Center Block (Fig. 1).
Trim the block to measure $24\frac{1}{2}'' \times 18\frac{1}{2}''$.



2. Place (1) $2''$ Fabric F square on the left side of (1) $2'' \times 3\frac{1}{2}''$ Fabric G strip, right sides together (Fig. 2). Sew across the diagonal of the square from the upper right corner to the lower left corner (Fig. 2). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a $\frac{1}{4}''$ seam allowance (Fig. 3).

3. Place another $2''$ Fabric F square on the right side of the $2'' \times 3\frac{1}{2}''$ Fabric G strip, right sides together (Fig. 4). Sew across the diagonal of the square from the upper left corner to the lower right corner (Fig. 4). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a $\frac{1}{4}''$ seam allowance to make (1) Unit 1 strip (Fig. 5).

4. Repeat Steps 2-3 to make (16) Unit 1 strips total.

5. Repeat Steps 2-3 and refer to Figure 6 for fabric identification, placement and seam direction to make (8) Unit 2 strips.




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6

6. Sew (1) $2''$ Fabric G square to each end of (1) Unit 1 strip to make the top row. Repeat to make the bottom row. Sew (1) Unit 1 strip to each side of (1) $3\frac{1}{2}''$ Fabric C square to make the middle row. Sew together the (3) rows lengthwise to make (1) $6\frac{1}{2}''$ Block One square (Fig. 7). Repeat to make a second Block One square.




Fig. 7

7. Repeat Step 6 and refer to Figures 8-9 for component identification, placement and orientation to make (2) Block Two squares and (2) Block Three squares.




Fig. 8




Fig. 9

8. Sew together (1) Block One square, (1) Block Two square and (1) Block Three square, in that order from top to bottom, to make (1) Runner Side Border (Fig. 10). Repeat to make a second Runner Side Border.




Fig. 10

Runner Assembly

(Follow the Runner Layout in Figure 11 while assembling.)

9. Sew (1) 1 1/2" x 18 1/2" Fabric H strip to each side of the Runner Center Block.
10. Sew (1) Runner Side Border to each side of the Runner Center Block.
11. Sew (1) 1 1/2" x 18 1/2" Fabric H strip to each side of the Runner Center Block.
12. Sew (1) 1 1/2" x 40 1/2" Fabric H strip to the top and to the bottom of the Runner Center Block.
13. Sew (1) 3 1/2" x 20 1/2" Fabric I strip to each end of the Runner Center Block.
14. Sew (1) 3 1/2" x 46 1/2" Fabric I strip to the top and to the bottom of the Runner Center Block to make the Runner top.

Runner Layering, Quilting and Finishing

15. Press the runner and 54" x 34" backing well. Layer backing (wrong side up), batting, pressed runner (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

Runner Binding

16. Cut the ends of the (4) Fabric F binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.

17. Sew the binding to the front of the quilt, raw edges together. Turn the folded edge to the back, and hand stitch in place.




Fig. 11

Place Mat Cutting

Place Mat Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

WOF= Width of Fabric • LOF = Length of Fabric

Fabric A (7017P-88 24 Inch Panel – Red):

- Fussy cut (4) 10" x 11" rectangles, each centered on a block.

Fabric B (1351-Onyx Just Color! – Onyx), cut:

- (3) 2" x WOF strips, sub-cut (8) 2" x 11" strips.
- (3) 2" x WOF strips, sub-cut (8) 2" x 13" strips.
- (7) 2 ½" x WOF strips for the binding.

Fabric C (7008-99 Tossed Cats – Black), cut:

- (1) 3 ½" x WOF strip, sub-cut (4) 3 ½" squares.

Fabric D (7010-99 Kitten with Gift Sack – Black), cut:

- (1) 3 ½" x WOF strip, sub-cut (4) 3 ½" squares.

Fabric E (1351-Red Delicious Just Color! – Red Delicious), cut:

- (4) 2" x WOF strips, sub-cut (64) 2" squares.

Fabric F (7007-01 Mice with Red Boots – White), cut:

- (3) 2" x WOF strips, sub-cut (32) 2" x 3 ½" strips.
- (2) 2" x WOF strips, sub-cut (32) 2" squares.

Backing (7012-99 Ginger Cat Cookie – Black), cut:

- (2) 16" x WOF strips, sub-cut (4) 16" x 21" rectangles for the backs.

Place Mat Sewing

Sew using a ¼" seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

Place Mat Block Assembly

Note: Pay attention to the unit orientations when assembling the various components.

18. Sew (1) 2" x 11" Fabric B strip to each side of (1) 10" x 11" Fabric A rectangle. Sew (1) 2" x 13" Fabric B strip to the top and to the bottom of the Fabric A rectangle to make (1) Block Four rectangle (Fig. 12). **Trim the block to measure 11 ½" x 12 ½"**. Repeat to make (4) Block Four rectangles total.




Fig. 12 B

19. Place (1) 2" Fabric E square on the left side of (1) 2" x 3 ½" Fabric F strip, right sides together (Fig. 13). Sew across the diagonal of the square from the upper right corner to the lower left corner (Fig. 13). Flip open the triangle formed and press (Fig. 14). Trim away the excess fabric from behind the triangle, leaving a ¼" seam allowance.

20. Place another 2" Fabric E square on the right side of the 2" x 3 ½" Fabric F strip, right sides together (Fig. 15). Sew across the diagonal of the square from the upper left corner to the lower right corner (Fig. 15). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a ¼" seam allowance to make (1) Unit 3 strip (Fig. 16).

21. Repeat Steps 19-20 to make (32) Unit 3 strips total.




Fig. 13




Fig. 14




Fig. 15




Fig. 16

22. Sew (1) 2" Fabric F square to each end of (1) Unit 3 strip to make the top row. Repeat to make the bottom row. Sew (1) Unit 3 strip to each side of (1) 3 ½" Fabric C square to make the middle row. Sew together the (3) rows lengthwise to make (1) 6 ½" Block Five square (Fig. 17). Repeat to make (4) Block Five squares total.

23. Repeat Step 22 and refer to Figure 18 for component identification, placement and orientation to make (4) Block Six squares.




Fig. 17




Fig. 18

Place Mat Assembly

(Follow the Place Mat Layout in Figure 19 while assembling.)

24. Sew (1) Block Five square to the top of (1) Block Six square. Sew the newly sewn strip to the left side of (1) Block Four square to make (1) Place Mat top (Fig. 19). Repeat to make (4) Place Mat tops total.

Place Mat Layering, Quilting and Finishing

25. Press the place mats and 21" x 16" backings well. Layer backing (wrong side up), batting, pressed place mats (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

Place Mat Binding

26. Cut the ends of the (7) Fabric B binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together. Cut the strip into (4) equal pieces.

27. Sew the binding to the front of the quilt, raw edges together. Turn the folded edge to the back, and hand stitch in place.

Place Mat Layout
make 4




Fig. 19

*Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however no warranty can be given nor results guaranteed as we have no control over the execution of instructions. Therefore, we assume no responsibility for the use of this information or damages that may occur as a result. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. Please make sure to check www.studioefabrics.net for pattern updates prior to starting the project. We also recommend that you test the project prior to cutting for kits. Finally, all free projects are intended to remain free to you and are **not for resale**.*