

A Free Project Sheet  
NOT FOR RESALE

# LITTLE RED BARN

QUILT 1



Featuring fabrics from the **Little Red Barn** collection by **Viv Eisner** for **STUDIO·e·fabrics**

## Fabric Requirements

(A) 5186-76 .....	1 panel
(B) 1351-Navy** .....	1 yard
(C) 5195-11 .....	$\frac{3}{8}$ yard
(D) 1351-Pigment White**	1 yard
(E) 5196-76 .....	$\frac{7}{8}$ yard*
(F) 5192-77 .....	$\frac{3}{8}$ yard
(G) 5189-88 .....	$\frac{1}{4}$ yard
(H) 5197-33 .....	$\frac{3}{8}$ yard

(I) 5191-88 .....	$\frac{1}{4}$ yard
(J) 5188-1 .....	$\frac{1}{4}$ yard
(K) 5190-11 .....	2 $\frac{1}{3}$ yards
Backing	
5187-1 .....	5 yards

\* Includes Binding

\*\* Just Color! Collection

## Additional Supplies Needed

Batting 66" x 86" (Recommended:  
Air Lite® Colour Me 100% Cotton)  
Piecing and sewing thread  
Quilting and sewing supplies

Quilt designed by Heidi Pridemore  
Finished Quilt Size 58" x 78"  
Skill Level: Advanced Beginner

Please check our website for pattern updates before starting this project.



## Fabrics in the Collection



Farm Banner Panel - Cyan  
5186P-76



Hexagon Blocks - White  
5187-1



Red Barn - White  
5188-1



Tossed Characters - Red  
5189-88



Border Stripe - Light Teal  
5190-11



Sun- Red  
5191-88



Tractor - Navy  
5192-77



Piggy - White  
5193-1



Duck - Light Teal  
5194-11



Star and Stripes - Light Teal  
5195-11



Gingham - Cyan  
5196-76




Baby and Mom Horse - Yellow  
5197-33

Select Fabric from Just Color!



Navy  
1351-Navy



Pigment White  
1351-Pigment White

## Cutting

### Cutting Instructions

*Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.*

WOF= Width of Fabric • LOF = Length of Fabric

#### **Fabric A (5186-76 Farm Banner Panel – Cyan):**

- Fussy cut (1) 20 ½" x 42 ½" WOF strip centered on the panel.

#### **Fabric B (1351-Navy Just Color! – Navy), cut:**

- (3) 3" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 3" x 42 ½" strips.
- (2) 2" x 25 ½" WOF strips.
- (4) 1 ¾" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 ¾" x 63" strips.
- (3) 1 ¾" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 ¾" x 45 ½" strips.
- (2) 1" x WOF strips, sub-cut (8) 1" x 7 ½" strips.
- (2) 1" x WOF strips, sub-cut (8) 1" x 8 ½" strips.

#### **Fabric C (5195-11 Star & Stripes – Light Teal) cut:**

- (3) 2 ⅞" x WOF strips, sub-cut (34) 2 ⅞" squares.

#### **Fabric D (1351-Pigment White Just Color! – Pigment White), cut:**

- (5) 2 ⅞" x WOF strips, sub-cut (68) 2 ⅞" squares.
- (3) 1 ¾" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 ¾" x 60 ½" strips.
- (3) 1 ¾" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 ¾" x 43" strips.

#### **Fabric E (5196-76 Gingham – Cyan), cut:**

- (3) 2 ⅞" x WOF strips, sub-cut (34) 2 ⅞" squares.
- (7) 2 ½" x WOF strips for the binding.

#### **Fabric F (5192-77 Tractor – Navy), cut:**

- (2) 4 ½" x WOF strips, sub-cut (12) 4 ½" squares.

#### **Fabric G (5189-88 Tossed Characters – Red), cut:**

- (1) 4 ½" x WOF strip, sub-cut (6) 4 ½" squares.

#### **Fabric H (5197-33 Baby & Mom Horse – Yellow), cut:**

- (2) 4 ½" x WOF strips, sub-cut (10) 4 ½" squares.

#### **Fabric I (5191-88 Sun – Red), cut:**

- (1) 4 ½" x WOF strip, sub-cut (6) 4 ½" squares.

#### **Fabric J (5188-1 Red Barn – White) cut:**

- (1) 7 ½" x WOF strip, sub-cut (4) 7 ½" squares.

#### **Fabric K (5190-11 Border Stripe – Light Teal), cut:**

- (2) 7" x 82" LOF strips.
- (2) 7" x 62" LOF strips.

#### **Backing (5187-1 Hexagon Blocks – White), cut:**

- (2) 86" x WOF strips. Sew the strips together and trim to 66" x 86" to make the back.

## Sewing

Sew using a  $\frac{1}{4}$ " seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

### Block Assembly

1. Sew (1)  $3'' \times 42\frac{1}{2}''$  Fabric B strip to each side of the  $20\frac{1}{2}'' \times 42\frac{1}{2}''$  Fabric A panel. Sew (1)  $2'' \times 25\frac{1}{2}''$  Fabric B strip to the top and to the bottom of the Fabric A panel. Trim the block to measure  $24\frac{1}{2}'' \times 44\frac{1}{2}''$  to make the Center Block (Fig. 1).




Fig. 1

2. Sew (1)  $1'' \times 7\frac{1}{2}''$  Fabric B strip to each side of (1)  $7\frac{1}{2}''$  Fabric J square. Sew (1)  $1'' \times 8\frac{1}{2}''$  Fabric B strip to the top and to the bottom of the Fabric J square to make (1) Unit 1 square (Fig. 2). Repeat to make (4) Unit 2 squares total.




Fig. 2

3. Place (1)  $2\frac{7}{8}''$  Fabric E square on top of (1)  $2\frac{7}{8}''$  Fabric D square, right sides together. Draw a line across the diagonal of the top square (Fig. 3). Sew  $\frac{1}{4}''$  away from each side of the drawn diagonal line (Fig. 3). Cut the (2) squares apart on the drawn diagonal line (Fig. 4) to make (2) half-square triangles. Trim the half-square triangles to measure  $2\frac{1}{2}''$  square to make (2) Unit 2 squares (Fig. 5). Repeat to make (68) Unit 2 squares total.




Fig. 3




Fig. 4




Fig. 5




Fig. 6

4. Repeat Step 3 and refer to Figure 6 for fabric identification and placement to make (68)  $2\frac{1}{2}''$  Unit 3 squares.

5. Sew (4) Unit 2 squares together into a  $2 \times 2$  matrix to make (1) Unit 4 square (Fig. 7). Repeat to make (17) Unit 4 squares total.




Fig. 7




Fig. 8

6. Sew (4) Unit 3 squares together into a  $2 \times 2$  matrix to make (1) Unit 5 square (Fig. 8). Repeat to make (17) Unit 5 squares total.

7. Follow Figure 9 and sew together (6) Unit 4 squares, (4) 4 ½" Fabric F squares, (2) 4 ½" Fabric G squares, (3) 4 ½" Fabric H squares, (2) 4 ½" Fabric I squares and (5) Unit 5 squares to make the Left Side Border.

8. Repeat Step 7 and refer to Figure 10 for component identification, placement and orientation to make the Right Side Border.




Fig. 9




Fig. 10

9. Refer to Figure 11 and sew together (6) assorted 4 ½" fabric squares, (3) Unit 4 squares and (3) Unit 5 squares into a 2 x 6 matrix. Sew (1) Unit 1 square to each end of the newly sewn strip to make the Top Border.




Fig. 11

10. Repeat Step 9 and refer to Figure 12 for component identification and placement to make the Bottom Border.




Fig. 12



## Quilt Top Assembly

*(Follow the Quilt Layout while assembling the quilt top. The arrows in the Quilt Layout represent the fabric print direction.)*

11. Sew the Left Side Border and Right Side Border to the left and to the right of the Center Block. Sew the Top Border and Bottom Border to the top and to the bottom of the Center Block.


12. Sew (1) 1  $\frac{3}{4}$ " x 60  $\frac{1}{2}$ " Fabric D strip to each side of the Center Block. Sew (1) 1  $\frac{3}{4}$ " x 43" Fabric D strip to the top and to the bottom of the Center Block.

13. Sew (1) 1  $\frac{3}{4}$ " x 63" Fabric B strip to each side of the Center Block. Sew (1) 1  $\frac{3}{4}$ " x 45  $\frac{1}{2}$ " Fabric B strip to the top and to the bottom of the Center Block.

14. Center (1) 7" x 82" Fabric K strip on (1) side of the Center Block and pin in place. Start sewing the strip a  $\frac{1}{4}$ " from the top edge of the block and stop a  $\frac{1}{4}$ " from the bottom edge. **DO NOT TRIM THE EXCESS.** Repeat with the opposite side.

15. Repeat Step 14 to sew (1) 7" x 62" Fabric K strip to the top and to the bottom of the Center Block, making sure to stop and start  $\frac{1}{4}$ " away from each end of the block. To miter each corner, fold the Center Block on a diagonal, wrong side together. This should line up the strips from adjacent sides (Fig. 13).

16. Starting at the sewn seam (represented by the arrow in Figure 13), draw a 45-degree line to the edge of the fabric. Sew on the drawn line. Trim the excess fabric leaving a  $\frac{1}{4}$ " seam. Repeat this step with the remaining corners to make the quilt top.




## Layering, Quilting and Finishing

17. Press the quilt top and 66" x 86" backing well. Layer backing (wrong side up), batting, pressed quilt top (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

## Binding

18. Cut the ends of the (7) Fabric E binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.

19. Sew the binding to the front of the quilt, raw edges together. Turn the folded edge to the back, and hand stitch in place.



Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however no warranty can be given nor results guaranteed as we have no control over the execution of instructions. Therefore, we assume no responsibility for the use of this information or damages that may occur as a result. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. Please make sure to check [www.studioefabrics.net](http://www.studioefabrics.net) for pattern updates prior to starting the project. We also recommend that you test the project prior to cutting for kits. Finally, all free projects are intended to remain free to you and are **not for resale**.