

A Free Project Sheet
NOT FOR RESALE

My Happy Place

Table Set



Featuring fabrics from the **My Happy Place** collection by **Sharla Fults** for

STUDIO *e* fabrics

Runner Fabric Requirements

(A) 6040-78	¼ yard
(B) 6045-78	¼ yard
(C) 6041-01W	½ yard
(D) 6048-81	⅓ yard
(E) 6038-78	½ yard
(F) 6043-78	¼ yard
(G) 1351-Burgundy**	½ yard*
(H) 6042-78	¼ yard
Backing	
6037-78	1 ⅔ yards

Place Mat Fabric Requirements (makes 4)

(A) 6050-78	⅔ yard
(B) 6048-81	¼ yard
(C) 1351-Navy**	⅝ yard*
Backing	
6046-78	1 ⅛ yards

* Includes Binding

** Just Color! Collection

Additional Supplies Needed

Batting (1) 57" x 33", (4) 20" x 17"
(Recommended:
Air Lite® Colour Me 100% Cotton)
Piecing and sewing thread
Quilting and sewing supplies

Quilt designed by Heidi Pridemore
Finished Runner Size 49" x 25"
Finished Place Mat Size 16" x 12 ½"
Skill Level: Advanced Beginner

Please check our website for pattern updates before starting this project.


Fabrics in the Collection



Patchwork
Multi - 6037-78



Tossed Campers and Bikes
Multi - 6038-78



Tossed Radiant Stars
Multi - 6039-17



Packed Balloons
Multi - 6040-78



Tossed Little Stars
White - 6041-01W



Tossed Little Stars
Blue - 6041-71



Tossed Little Stars
Red - 6041-81



Tossed Flags
Multi - 6042-78



Tossed Hearts
Multi - 6043-78



Clouds
Multi - 6044-77




Tossed Flip Flops
Multi - 6045-78



Fireworks
Multi - 6046-78



Tossed Strawberries
Multi - 6047-18



Gingham with Ants
Red - 6048-81



Tossed Watermelon Slices
Multi - 6049-87



10in x 10in Blocks
Multi - 6050-78

Select Fabrics from
Just Color!



Burgundy
1351-Burgundy



Navy
1351-Navy

Runner Cutting

Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

WOF= Width of Fabric • LOF = Length of Fabric

Fabric A (6040-78 Packed Balloons – Multi), cut:

- (1) 6 ½" x WOF strip, sub-cut (3) 6 ½" squares.

Fabric B (6045-78 Tossed Flip Flops – Multi), cut:

- (1) 6 ½" x WOF strip, sub-cut (6) 6 ½" squares.

Fabric C (6041-01W Tossed Little Stars – White), cut:

- (2) 3 ½" x WOF strips, sub-cut (24) 3 ½" squares.
- (1) 2 ½" x WOF strip, sub-cut (4) 2 ½" squares.
- (2) 2" x 41 ½" WOF strips.
- (1) 2" x WOF strip, sub-cut (2) 2" x 14 ½" strips.

Fabric D (6048-81 Gingham with Ants – Red), cut:

- (2) 2" x WOF strips, sub-cut (24) 2" squares.
- (2) 1 ½" x 38 ½" WOF strips.
- (1) 1 ½" x WOF strip, sub-cut (2) 1 ½" x 12 ½" strips.

Fabric E (6038-78 Tossed Campers and Bikes – Multi), cut:

- (2) 4 ½" x 41 ½" WOF strips.
- (1) 4 ½" x WOF strip, sub-cut (2) 4 ½" x 17 ½" strips.

Fabric F (6043-78 Tossed Hearts - Multi), cut:

- (1) 4 ½" x WOF strip, sub-cut (4) 4 ½" squares.

Fabric G (1351-Burgundy Just Color! – Burgundy), cut:

- (1) 2 ½" x WOF strip, sub-cut (4) 2 ½" squares.
- (4) 2 ½" x WOF strips for the binding.

Fabric H (6042-78 Tossed Flags – Multi), cut:

- (1) 6 ½" x WOF strip, sub-cut (3) 6 ½" squares.

Backing (6037-78 Patchwork – Multi), cut:

- (1) 57" x 33" WOF strip for the back.

Runner Sewing

Sew using a $\frac{1}{4}$ " seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

Runner Block Assembly

Note: The arrows in figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components.

1. Place (1) $3\frac{1}{2}$ " Fabric C square on the bottom left corner of (1) $6\frac{1}{2}$ " Fabric A square, right sides together (Fig. 1). Sew across the diagonal of the smaller square from the upper left corner to the lower right corner (Fig. 1). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle $\frac{1}{4}$ " away from the sewn seam (Fig. 2).

2. Follow Figure 3 for the seam direction to add a $3\frac{1}{2}$ " Fabric C square to the upper right corner of the $6\frac{1}{2}$ " Fabric A square to make (1) Unit 1 square (Fig. 4).




Fig. 1




Fig. 2



Fig. 3




Fig. 4

3. Repeat Steps 1-2 to make (3) Unit 1 squares total.

4. Place (1) 2" Fabric D square on the bottom left corner of (1) Unit 1 square, right sides together (Fig. 5). Sew across the diagonal of the smaller square from the upper left corner to the lower right corner (Fig. 5). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle $\frac{1}{4}$ " away from the sewn seam (Fig. 6).

5. Follow Figure 7 for the seam direction to add a 2" Fabric D square to the upper right corner of the Unit 1 square to make (1) Unit 2 square (Fig. 8).

6. Repeat steps 4-5 to make (3) Unit 2 squares total.




Fig. 5




Fig. 6




Fig. 7



Fig. 8

7. Repeat Steps 1-2 and Steps 4-5 while referring to Figures 9-10 for fabric identification, placement, seam direction and orientation to make (3) Unit 3 squares and (6) Unit 4 squares.




Fig. 9




Fig. 10

8. Sew (1) Unit 2 square to the left side of (1) Unit 4 square to make the top row. Sew (1) Unit 4 square to the left side of (1) Unit 3 square to make the bottom row. Sew the (2) rows together lengthwise to make (1) 12 ½" Block One square (Fig. 11). Repeat to make (3) Block One squares total.




Fig. 11

9. Sew together the (3) Block One squares to make the Center Block (Fig. 12).




Fig. 12

10. Place (1) 2 ½" Fabric G square on the upper left corner of (1) 4 ½" Fabric F square, right sides together (Fig. 13). Sew across the diagonal of the smaller square from the upper right corner to the lower left corner (Fig. 13). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle ¼" away from the sewn seam (Fig. 14).

11. Follow Figure 15 for the seam direction to add a 2 ½" Fabric C square to the lower right corner of the 4 ½" Fabric F square to make (1) Unit 5 square (Fig. 16).

12. Repeat Steps 10-11 to make (4) Unit 5 squares total.




Fig. 13




Fig. 14




Fig. 15




Fig. 16

Runner Assembly

(Follow the Runner Layout in Figure 17 while assembling the runner.)

11. Sew (1) 1 ½" x 12 ½" Fabric D strip to each side of the Center Block. Sew (1) 1 ½" x 38 ½" Fabric D strip to the top and to the bottom of the Center Block.

12. Sew (1) 2" x 14 ½" Fabric C strip to each side of the Center Block. Sew (1) 2" x 41 ½" Fabric C strip to the top and to the bottom of the Center Block.

13. Sew (1) 4 ½" x 17 ½" Fabric E strip to each side of the Center Block. Sew (1) Unit 5 square to each end of (1) 4 ½" x 41 ½" Fabric E strip. Repeat to make a second strip. Sew the strips to the top and to the bottom of the Center Block to make the Runner top.




Fig. 17

Runner Layering, Quilting and Finishing

14. Press the runner top and 57" x 33" backing well. Layer backing (wrong side up), batting, pressed runner top (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

Runner Binding

15. Cut the ends of the (4) Fabric G binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.

16. Sew the binding to the front of the runner, raw edges together. Turn the folded edge to the back, and hand stitch in place.

Place Mat Cutting

Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

WOF= Width of Fabric • LOF = Length of Fabric

Fabric A (6050-78 10 in x 10 in Blocks – Multi), fussy cut:

- (4) 16 ½" x 11" rectangles, each centered on (1) large block and (2) small blocks.

Fabric B (6048-81 Gingham with Ants – Red), cut:

- (4) 1 ½" x WOF strips, sub-cut (8) 1 ½" x 16 ½" strips.

Fabric C (1351-Navy Just Color! – Navy), cut:

- (7) 2 ½" x WOF strips for the binding.

Backing (6046-78 Fireworks – Multi), cut:

- (2) 20" x WOF strips, sub-cut (4) 20" x 16 ½" rectangles for the backings.

Place Mat Sewing

Sew using a ¼" seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

Place Mat Assembly

(Follow the Place Mat Layout in Figure 18 while assembling the place mats.)

1. Sew (1) 1 ½" x 16 ½" Fabric B strip to the top and to the bottom of (1) 16 ½" x 11" Fabric A block to make (1) Place Mat top. Repeat to make (4) Place Mat tops total.

Layering, Quilting and Finishing

2. Press the place mat tops and 20" x 16 ½" backings well. Layer backing (wrong side up), batting, pressed place mat tops (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.




Fig. 18

Binding

3. Cut the ends of the (7) Fabric C binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together. Cut the binding into (4) equal pieces.
4. Sew the binding to the front of the place mats, raw edges together. Turn the folded edge to the back, and hand stitch in place.